


Township N. XXXVI north, Range N. VI East 2nd Mer.

See letter to R.R. at Indianapolis by Auditor of the State of Indiana Dec 11. 187
May 4. 1875.
IND



Section	Area	Section	Area
Sec. 1	57.91	Sec. 17	32.0
Sec. 2	80	Sec. 18	80
Sec. 3	57.31	Sec. 19	81.31
Sec. 4	80	Sec. 20	81.29
Sec. 5	32.0	Sec. 21	32.0
Sec. 6	57.91	Sec. 22	80
Sec. 7	80	Sec. 23	81.74
Sec. 8	88.24	Sec. 24	80
Sec. 9	1.60	Sec. 25	82.26
Sec. 10	75.26	Sec. 26	64.0
Sec. 11	77.60	Sec. 27	75.85
Sec. 12	77.18	Sec. 28	57.00
Sec. 13	58.28	Sec. 29	18.34
Sec. 14	80	Sec. 30	78.40
Sec. 15	85.26	Sec. 31	77.36
Sec. 16	67.55	Sec. 32	17.85
Sec. 17	1.60	Sec. 33	62.55
Sec. 18	58.13	Sec. 34	52.75
Sec. 19	80	Sec. 35	1.60
Sec. 20	59.33	Sec. 36	64.0
Sec. 21	80		
Sec. 22	32.0		
Sec. 23	59.58		
Sec. 24	70.11		
Sec. 25	79.24		
Sec. 26	48.33		
Sec. 27	115.21		
Sec. 28	89.30		
Sec. 29	98.80		
Sec. 30	10.76		
Sec. 31	115.50		
Sec. 32	61.24		
Sec. 33	80.18		
Sec. 34	1.60		
Sec. 35	80		
Sec. 36	80		
	32.0		
	80.15		
	80		
	80.93		
	11.50		
	62.40		
	79.75		
	1.60		
	32.0		
	1.60		
	86.70		
	61.15		
	92.28		
	97.81		
	107.68		
	64.0		
	64.0		
	64.0		
	64.0		
	64.0		
	232.69		
	388.50		
	64.0		
	1127.82		


Surveyed in January 1835 by Edward H. Lytle

Surveyor Genl's Office Cincinnati
July 7th 1835
A certified copy from the
Original in this Office.
Mr. Lytle S. G.

Registered 1835
Exp. on the 1st of
Jan. 1836

42

T36N, R6E, 2nd Mer.



*East Indiana
Vol. 2. L.C.*

*A copy of subdivisions of fractional sections made
under the provisions of Act of the 5th April 1832.*

*Sur: Genl. Office
Nin: Sept 10 1833.*

*M. T. Williams
Sur. Genl.
Ind. Terr.*

December 19th 1874, Recd at this Office, Commissioner of Dec 11 1874
 This day E. Browning Reg.

Sections 2 & 3 Township N^o 36 North, Range N^o 6 East 2nd Meridian, Indiana.

362 of Lake in Henry Indpls. Purchase & sold at Public Sale April 20 1872 to R M Johnson
 of Ellettsville Ind.

	2.	1.	2.	
	41.79	35.29	43.62	
	a. 3623 6837 #			
Sec.3.	4	3.		Sec.2.
		42.26		


Department of the Interior,
 General Land Office,

December, 11th 1874.

I hereby certify that the above Plat of a Meandered Lake in the East half of Section N^o 3, and the North-west quarter of Section N^o 2, in Township N^o 36 North of Range N^o 6 East 2nd Principal Meridian in the State of Indiana has been constructed from the field notes on file in this Office and Areas calculated in pursuance of the Act of Congress approved 22nd January 1853.

J. S. Smith
 Commissioner & Ex Officio
 Surveyor General of the State of Indiana.

Township N. XXXVI North, Range N. VI East 2nd Mer.



Surveyed in January 1830 by Edward H. Hyde D.O.

A true copy of the original plat filed in the Office.
Surveyor Genl's Office. Cin Aug. 1830.

Wm. Hyde S.E.

Contents		Contents	
Section	Acres	Section	Acres
N.E. 1	57.91	E. 18	320
S.E. 1	80	E. NW "	80
N.W. 1	57.21	1 1/2 "	81.31
S.W. 1	80	E. 1/2 NW "	80
S.E. 2	320	1 1/2 "	81.29
N.E. 2	59.00	E. 19	320
S.W. 2	80	E. NW "	80
S.E. NW "	88.24	N.W. "	81.74
S.E. "	160	E. 1/2 NW "	80
E. NW "	76.26	N.W. "	82.26
N.W. "	77.60	Sec. 20	640
N.E. 3	77.08	N. part NE 21	75.85
N.W. NW "	58.28	S. part "	51.00
E. 1/2 "	80	S. part NW "	18.34
E. 1/2 SE "	85.26	S. 1/2 NW "	78.40
N.W. "	69.85	S. 1/2 "	77.36
S.W. "	16.0	S.E. 1/2 "	17.85
N.W. NE 4	58.13	N. 1/2 SE "	62.55
S.W. "	80	N. 1/2 SW "	54.75
N.W. NW "	59.33	Sec. 22	640
S. 1/2 "	80		23 640
S. 1/2 S. 1/2 "	320		24 640
N.E. NE 5	59.58		25 640
S.W. "	70.10		26 640
N.W. NW "	79.34		27 640
S. 1/2 "	48.82	E. NE 28	113.64
E. 1/2 SE "	105.21	N.W. NW "	93.46
N. part SW "	89.30	S. 1/2 "	93.80
S. part "	98.80	E. 1/2 SE "	99.40
N. 1/2 SE "	10.76	N. part SW "	97.00
N. 1/2 NE "	115.00	S. part "	103.15
N. 1/2 NW "	67.84	Sec. 29*	640
S. 1/2 "	80.18	E. 1/2 SE "	320
S.E. "	160	E. NW "	80
E. NW "	80	N.W. "	81.89
N.W. "	80	E. 1/2 NW "	80
E. 1/2 NW "	320	N.W. "	80.63
N.W. NW "	80.15	Sec. 32	640
E. 1/2 NW "	80	N. 1/2 SE "	106.00
N.W. NW "	80.93	N. 1/2 NW "	40.95
N. 1/2 SE "	11.00	N. 1/2 NW "	81.56
E. 1/2 NE "	62.40	S. 1/2 "	80
N.W. "	79.75	E. 1/2 SE "	65.09
N.W. NW "	160	N. 1/2 "	80
S. 1/2 "	320	SW "	160
N.E. 9	160	Sec. 34	640
N. 1/2 NW "	86.70		35 640
S. 1/2 "	80.15		36 640
N. 1/2 SE "	92.28		12.06485
S. part "	97.80		10.27802
N. 1/2 NW "	107.58		22.34287
Sec. 10	640		
11	640	E. 1/2 20	320
12	640	E. NW "	80
13	640	N.W. "	80
14	640	E. 1/2 NW "	80
15	640	N.W. "	80
E. 1/2 SE "	23.260		
N. 1/2 "	23.350		
Sec. 17	640		
	10.27802		